

**CALCAST Carbon Composit**Version number: 5.0  
Replaces version of: 25.01.2022 (4)Revision: 26.08.2024  
First version: 03.09.2014**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****Product** Calcast CC 60, 60-4, -8, -16  
Calcast CC 155, -G4, -G8, -G16  
Calcast CC 105-G8**1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses** Mineral thermal insulation panels**1.3 Details of the supplier of the safety data sheet**CALSITHERM Silikatbaustoffe GmbH  
An der Eiche 15  
D-33175 Bad Lippspringe  
GermanyTelephone: +49 (0)5254 99092-0  
Telefax: +49 (0)5254 99092-17  
e-mail: info@calsitherm.de  
Website: www.calsitherm.deCALSITHERM International GmbH  
An der Eiche 15  
33175 Bad LippspringeSILCA Service- und Vertriebsgesellschaft für  
Dämmstoffe mbH  
Elberfelder Straße 200a  
40822 Mettmanntelephone: +49(0) 2104 9727-0  
telefax: +49(0) 2104 9727-25  
e-Mail: reach@silca-online.de  
website: www.silca-online.deSILCA Italia srl  
Via Mattei 5/11  
30037 Scorze (VE)  
Italiatelephone:+39 (041) 584 122 0  
telefax: +39 (041) 447 130  
e-mail: info@silca-italia.it  
website: www.silca-italia.it**e-mail (competent person)** sdb@csb-compliance.comPlease do not use this e-mail address to ask for the latest safety data sheet. For this purpose contact  
CALSITHERM Silikatbaustoffe GmbH.**1.4 Emergency telephone number**

Poison centre		
Country	Name	Telephone
Germany	Giftinformationszentrum - Nord Göttingen	+49 551 19240

As above or nearest toxicological information centre.

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Not required.

### 2.3 Other hazards

Inhalation of dust may cause respiratory irritation.

#### Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0,1\%$ .

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (article).

### 3.2 Mixtures

Not relevant (article).

#### Hazardous ingredients acc. to EU regulation

None

#### Product of ingredients listed below

wollastonite (calcium metasilicate), calciumsilicate, graphite, carbon fiber

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Self-protection of the first aider.

In all cases of doubt, or when symptoms persist, seek medical advice.

## **Following inhalation**

Dust: Provide fresh air.

In case of respiratory tract irritation, consult a physician.

## **Following skin contact**

Wash with plenty of soap and water.

## **Following eye contact**

Dust: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

## **Following ingestion**

The product itself cannot be swallowed.

## **Notes for the doctor**

None.

## **4.2 Most important symptoms and effects, both acute and delayed**

This information is not available.

## **4.3 Indication of any immediate medical attention and special treatment needed**

None.

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

water, foam, alcohol resistant foam, fire extinguishing powder

#### **Unsuitable extinguishing media**

water jet

### **5.2 Special hazards arising from the substance or mixture**

Hazardous decomposition products: Section 10.

### **5.3 Advice for firefighters**

Non-combustible.

Keep containers cool with water spray.

In case of fire and/or explosion do not breathe fumes.

Co-ordinate firefighting measures to the fire surroundings.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

#### **Special protective equipment for firefighters**

Wear self-contained breathing apparatus

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Ventilate affected area.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

Ventilate affected area.

### 6.4 Reference to other sections

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with eyes.

Do not breathe dust.

#### Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.

Removal of dust deposits.

#### Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room.

#### Measures to protect the environment

Avoid release to the environment.

# CALCAST Carbon Composit

Version number: 5.0

Revision: 26.08.2024

## Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Wash hands after use.

Preventive skin protection (barrier creams/ointments) is recommended.

Remove contaminated clothing and protective equipment before entering eating areas.

## 7.2 Conditions for safe storage, including any incompatibilities

### Flammability hazards

None.

### Incompatible substances or mixtures

Incompatible materials: see section 10.

### Protect against external exposure, such as

humidity, vibration, strong shocks

### Consideration of other advice

Keep away from food, drink and animal feedingstuffs.

### Ventilation requirements

Provision of sufficient ventilation.

### Specific designs for storage rooms or vessels

Store in a dry place.

### Packaging compatibilities

Keep only in original container.

## 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
DE	dust	-	MAK	-	4	-	-	i	DFG
DE	dust	-	AGW	-	10	-	20	Y, i	TRGS 900
DE	dust	-	AGW	-	1,25	-	2,5	Y, r	TRGS 900
DE	dust	-	MAK	-	0,3	-	2,4	r	DFG
DE	graphite	7782-42-5	MAK	-	4	-	-	i	DFG
DE	graphite	7782-42-5	MAK	-	0,3	-	2,4	r, multi-density	DFG

#### Notation

i inhalable fraction

## Notation

mult-dens- multiplied by the material density  
ity

r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Y a risk of developmental toxicity does not need to be expected if the occupational exposure limit value and the biological limit value (BGW) are adhered to

## Human health values

Relevant DNELs of components						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
calciumsilicate	1344-95-2	DNEL	4 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects

## Environmental values

Relevant PNECs of components				
Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment
calciumsilicate	1344-95-2	PNEC	4 mg/l	freshwater

## 8.2 Exposure controls

### Appropriate engineering controls

Use local and general ventilation.

### Individual protection measures (personal protective equipment)

#### Eye/face protection

Dust generation: Use safety goggle with side protection (EN 166).

#### Hand protection

Wear suitable gloves (Textiles, Leather).

#### Body protection

Protective clothing for use against solid particulates.  
(EN 13832, EN 340, EN 14605).

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.  
Particle filter device (DIN EN 143).

## Environmental exposure controls

Use appropriate container to avoid environmental contamination.  
Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	solid (panels)
<b>Colour</b>	light grey - dark grey
<b>Odour</b>	odourless
<b>Melting point/freezing point</b>	~1.500 °C
<b>Boiling point or initial boiling point and boiling range</b>	not determined
<b>Flammability</b>	non-combustible
<b>Lower and upper explosion limit</b>	not applicable (solid)
<b>Flash point</b>	not applicable
<b>Auto-ignition temperature</b>	not applicable (solid)
<b>Decomposition temperature</b>	not relevant
<b>pH (value)</b>	9 – 11
<b>Viscosity</b>	not relevant (solid)
<b>Solubility(ies)</b>	
Water solubility	not miscible in any proportion
<b>Partition coefficient n-octanol/water (log value)</b>	not relevant (inorganic)
<b>Vapour pressure</b>	not determined
<b>Density and/or relative density</b>	
Density	not determined
Relative vapour density	not relevant (solid)
Bulk density	700 – 1.200 kg/m <sup>3</sup>
<b>Particle characteristics</b>	no data available

## 9.2 Other information

<b>Information with regard to physical hazard classes</b>	hazard classes acc. to GHS (physical hazards): not relevant
<b>Other safety characteristics</b>	there is no additional information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.  
See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Control of dust.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Classification procedure

If not otherwise specified the classification is based on:  
Ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

#### Acute toxicity

Test data are not available for the complete mixture.

Acute toxicity of components							
Name of substance	CAS No	Exposure route	End-point	Value	Species	Method	Source
calciumsilicate	1344-95-2	oral	LD50	>5.000	rat	OECD	ECHA



# CALCAST Carbon Composit

Version number: 5.0

Revision: 26.08.2024

Acute toxicity of components							
Name of substance	CAS No	Exposure route	End-point	Value	Species	Method	Source
				mg/kg		Guideline 401	
calciumsilicate	1344-95-2	dermal	LD50	>5.000 mg/kg	rabbit	OECD Guideline 402	ECHA
calciumsilicate	1344-95-2	inhalation: dust/mist	LC50	≥58,8 mg/l/4h	rat	OECD Guideline 403	ECHA
graphite	7782-42-5	oral	LD50	>2.000 mg/kg	rat, female	OECD Guideline 423	ECHA

## Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

## Respiratory or skin sensitisation

### Skin sensitisation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

### Respiratory sensitisation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

### Germ cell mutagenicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

### Carcinogenicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

### Reproductive toxicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

### Specific target organ toxicity - single exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## Specific target organ toxicity - repeated exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Respirable dust which may arise increases the relative lung cancer risk in humans.

## 11.2 Information on other hazards

### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity (acute)

Based on available data, the classification criteria are not met.

#### Aquatic toxicity (acute) of components

Name of substance	CAS No	Endpoint	Exposure time	Value	Species	Method	Source
calciumsilicate	1344-95-2	LL50	96 h	>1.000 mg/l	rainbow trout (Oncorhynchus mykiss)	OECD Guideline 203	ECHA
calciumsilicate	1344-95-2	EL50	72 h	>1.000 mg/l	algae (Desmodesmus subspicatus)	OECD Guideline 201	ECHA
calciumsilicate	1344-95-2	EL50	48 h	>10.000 mg/l	daphnia magna	OECD Guideline 202	ECHA
graphite	7782-42-5	LC50	96 h	>100 mg/l	zebra fish (Danio rerio)	OECD Guideline 203	ECHA
graphite	7782-42-5	EC50	48 h	>100 mg/l	daphnia magna	OECD Guideline 202	ECHA
graphite	7782-42-5	EC50	72 h	>100 mg/l	algae (raphidocelis subcapitata)	OECD Guideline 201	ECHA
graphite	7782-42-5	ErC50	72 h	>100 mg/l	algae (raphidocelis subcapitata)	OECD Guideline 201	ECHA

## Aquatic toxicity (chronic)

Based on available data, the classification criteria are not met.

## Aquatic toxicity (chronic) of components

Name of substance	CAS No	Endpoint	Exposure time	Value	Species	Method	Source
graphite	7782-42-5	LOEC	72 h	>100 mg/l	algae (raphidocelis subcapitata)	OECD Guideline 201	ECHA
graphite	7782-42-5	NOEC	72 h	≥100 mg/l	algae (raphidocelis subcapitata)	OECD Guideline 201	ECHA
graphite	7782-42-5	growth (Eb-Cx) 20%	3 h	>1.012 mg/l	activated sludge of a predominantly domestic sewage	OECD Guideline 209	ECHA
graphite	7782-42-5	growth (Eb-Cx) 80%	3 h	>1.012 mg/l	activated sludge of a predominantly domestic sewage	OECD Guideline 209	ECHA

## 12.2 Persistence and degradability

### Biodegradation

No data available.

### Persistence

No data available.

## 12.3 Bioaccumulative potential

### n-octanol/water (log KOW)

not relevant  
(inorganic)

## 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

## 12.7 Other adverse effects

Data are not available.

### Remarks

Wassergefährdungsklasse, WGK (water hazard class): 1.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Completely emptied packages can be recycled.

Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

<b>14.1</b>	<b>UN number or ID number</b>	not assigned
<b>14.2</b>	<b>UN proper shipping name</b>	-
<b>14.3</b>	<b>Transport hazard class(es)</b>	-
<b>14.4</b>	<b>Packing group</b>	-
<b>14.5</b>	<b>Environmental hazards</b>	-
<b>14.6</b>	<b>Special precautions for user</b>	-
<b>14.7</b>	<b>Maritime transport in bulk according to IMO instruments</b>	-

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

Name	Name acc. to inventory	CAS No	Restriction
carbon fiber	substances in tattoo inks and permanent make-up	-	R75

#### Legend

- R75 1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
- (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
  - (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive tox-

## Legend

- icant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
- (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
- (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
- (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
- (ii) 0,01 % by weight, in all other cases;
- (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
- (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
- (i) "Rinse-off products";
- (ii) "Not to be used in products applied on mucous membranes";
- (iii) "Not to be used in eye products";
- (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
- (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
- (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
- (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.
7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
- (a) the statement "Mixture for use in tattoos or permanent make-up";
- (b) a reference number to uniquely identify the batch;
- (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for

## Legend

tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;

(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;

(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

## List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

## Seveso Directive

Not assigned.

## Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed.

## Regulation on the marketing and use of explosives precursors

None of the ingredients are listed.

## Regulation on drug precursors

None of the ingredients are listed.

## Regulation on substances that deplete the ozone layer (ODS)

None of the ingredients are listed.

## Regulation concerning the export and import of hazardous chemicals (PIC)

None of the ingredients are listed.

## Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

# CALCAST Carbon Composit

Version number: 5.0

Revision: 26.08.2024

## National regulations (Germany)

### Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK 1  
(water hazard class)

## Technical instructions on air quality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass concentration	Notation
5.2.1	total dust, including micro-dust	-	≥ 25 wt%	0,2 kg/h	20 mg/m <sup>3</sup>	2)

### Notation

- 2) even with a mass flow smaller than or equal to 0.20 kg/h, a mass concentration of 0.15 g/m<sup>3</sup> in waste gas may not be exceeded

## Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

Storage class (LGK) 13  
(non-combustible solids)

## Chemikalien-Verbotsverordnung (Chemicals Prohibition Ordinance) - ChemVerbotsV

none of the ingredients are listed

## Other information

Observe occupational restrictions for mothers acc. to §§ 11 and 12 MuSchG!

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.
3.2	Mixtures: Hazardous ingredients acc. to EU regulation None	Mixtures: Not relevant (article).  Hazardous ingredients acc. to EU regulation None
3.2	-	Product of ingredients listed below
3.2	-	Product of ingredients listed below: change in the listing (table)
8.1	-	Occupational exposure limit values (Workplace Exposure Limits):

# CALCAST Carbon Composit

Version number: 5.0

Revision: 26.08.2024

Section	Former entry (text/value)	Actual entry (text/value)
		change in the listing (table)
8.1	-	Relevant DNELs of components: change in the listing (table)
8.1	-	Relevant PNECs of components: change in the listing (table)
8.2	Eye/face protection: Dust-Development: Use safety goggle with side protection.	Eye/face protection: Dust generation: Use safety goggle with side protection (EN 166).
8.2	-	Body protection: Protective clothing for use against solid particulates. (EN 13832, EN 340, EN 14605).
15.1	Restrictions according to REACH, Annex XVII: None of the ingredients are listed.	Restrictions according to REACH, Annex XVII
15.1	-	Restrictions according to REACH, Annex XVII: change in the listing (table)

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
AGW	Workplace exposure limit
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DFG	Deutsche Forschungsgemeinschaft MAK-und BAT-Werte-Liste, Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Wiley-VCH, Weinheim
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations



# CALCAST Carbon Composit

Version number: 5.0

Revision: 26.08.2024

Abbr.	Descriptions of used abbreviations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LGK	Lagerklasse (storage class according to TRGS 510, Germany)
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
LOEC	Lowest Observed Effect Concentration
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TRGS	Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany)
TRGS 900	Arbeitsplatzgrenzwerte (TRGS 900)
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

## Classification procedure

Physical and chemical properties.

Health hazards.

Environmental hazards.

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

# CALCAST Carbon Composit

Version number: 5.0

Revision: 26.08.2024

---

## **Responsible for the safety data sheet**

C.S.B. GmbH  
Dujardinstr. 5  
47829 Krefeld  
Germany

Telephone: +49 (0) 2151 - 652086 - 0  
Telefax: +49 (0) 2151 - 652086 - 9  
e-Mail: [info@csb-compliance.com](mailto:info@csb-compliance.com)  
Website: [www.csb-compliance.com](http://www.csb-compliance.com)

## **Disclaimer**

This information is based upon the present state of our knowledge.  
This SDS has been compiled and is solely intended for this product.