# **Safety Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH)



## **SILCADUR B 90**

Version number: 7.0 Revision: 13.01.2022
Replaces version of: 30.08.2019 (6) First version: 29.02.2012

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name SILCADUR B 90

**Registration number (REACH)**Not relevant (mixture)

**CAS number** not relevant (mixture)

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**Adhesive mortar

## 1.3 Details of the supplier of the safety data sheet

SILCA Service- und Vertriebsgesellschaft für

Dämmstoffe mbHTelefax: +49 (0) 2104 9727-25Elberfelder Straße 200ae-mail: reach@silca-online.deD-40822 MettmannWebsite: www.silca-online.de

Germany

e-mail (competent person) sdb@csb-online.de

Please do not use this e-mail address to ask for the latest safety data sheet. For this purpose contact SILCA Service- und Vertriebsgesellschaft für Dämmstoffe mbH.

Telephone: +49 (0) 2104 9727-0

#### 1.4 Emergency telephone number

Poison centre		
Country	Name	Telephone
Germany	Giftinformationszentrum - Nord Göttingen	+49 551 19240

As above or nearest toxicological information centre.

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification						
Section	Hazard class	Category	Hazard class and category	Hazard state- ment		
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315		

#### Classification

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.9	specific target organ toxicity - repeated expos- ure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16

## The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word danger

**Pictograms** 

**GHS05, GHS08** 



#### **Hazard statements**

H315 Causes skin irritation.H318 Causes serious eye damage.

H373 May cause damage to organs (lung) through prolonged or repeated exposure (if

inhaled).

## **Precautionary statements**

**P260** Do not breathe dust.

**P273** Avoid release to the environment.

**P280** Wear protective gloves/protective clothing/eye protection/face protection.

**P302+P352** IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

**P310** Immediately call a POISON CENTER/doctor.

Hazardous ingredients for labelling quartz

aluminium dihydrogen phosphate

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Germany: en Page: 2 / 19

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Not relevant (mixture).

## 3.2 Mixtures

## **Description of the mixture**

## **Hazardous ingredients**

g				
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
quartz	CAS No 14808-60-7	75 - < 90	-	-
	EC No 238-878-4			
silicic acid, sodium salt	CAS No 1344-09-8	10-<25	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335	1
	EC No 215-687-4			
quartz	CAS No 14808-60-7	1-<5	STOT RE 1 / H372	
	EC No 238-878-4			
aluminium dihydrogen phosphate	CAS No 13530-50-2	1-<5	Eye Dam. 1 / H318	
	EC No 236-875-2			

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
silicic acid, sodium salt	-	-	>2,06 <sup>mg</sup> / <sub>l</sub> /4h	inhalation: vapour

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### **General notes**

Take off immediately all contaminated clothing.

In all cases of doubt, or when symptoms persist, seek medical advice.

## **Following inhalation**

Provide fresh air.

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Germany: en Page: 3 / 19

#### Following skin contact

Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

#### Following eye contact

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Remove contact lenses, if present and easy to do. Continue rinsing.

## **Following ingestion**

Rinse mouth. Do not induce vomiting.

Get medical advice/attention if you feel unwell.

#### Notes for the doctor

None.

## 4.2 Most important symptoms and effects, both acute and delayed

These information are not available.

## 4.3 Indication of any immediate medical attention and special treatment needed

None.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Co-ordinate firefighting measures to the fire surroundings

## 5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

#### Special protective equipment for firefighters

use suitable breathing apparatus

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Remove persons to safety.

Ventilate affected area.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

Germany: en Page: 4 / 19

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

## 6.2 Environmental precautions

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

## Advice on how to contain a spill

Take up mechanically.

## Advice on how to clean up a spill

Take up mechanically.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

Ventilate affected area.

#### 6.4 Reference to other sections

Personal protective equipment: see section 8.

Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes.

Do not breathe dust.

#### Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.

#### Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room.

#### Handling of incompatible substances or mixtures

Do not mix with acids.

## Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Wash hands after use.

Preventive skin protection (barrier creams/ointments) is recommended.

Remove contaminated clothing and protective equipment before entering eating areas.

## 7.2 Conditions for safe storage, including any incompatibilities

## Flammability hazards

None.

## **Incompatible substances or mixtures**

Incompatible materials: see section 10.

## Protect against external exposure, such as

frost, humidity

#### **Consideration of other advice**

Keep away from food, drink and animal feeding stuffs.

## **Ventilation requirements**

Provision of sufficient ventilation.

## Specific designs for storage rooms or vessels

Store in a dry place.

## **Packaging compatibilities**

Keep only in original container.

## 7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Occup	Occupational exposure limit values (Workplace Exposure Limits)								
Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Nota- tion	Source
DE	dust	-	AGW	-	1,25	-	2,5	Y, r	TRGS 900
DE	dust	-	AGW	-	10	-	20	Y, i	TRGS 900
DE	dust	-	MAK	-	0,3	-	2,4	r	DFG
DE	dust	-	MAK	-	4	-	-	i	DFG
DE	Quarzhaltiger Staub	14808- 60-7	AGW	-	0,05	-	0,4	-	TRGS 559
EU	silica, crystalline	14808- 60-7	IOELV	-	0,1	-	-	r	2017/2398/ EU

## Notation

i inhalable fraction r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of

8 hours time-weighted average (unless otherwise specified)

Germany: en Page: 6 / 19

#### Notation

Υ

a risk of developmental toxicity does not need to be expected if the occupational exposure limit value and the biological limit value (BGW) are adhered to

## Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
silicic acid, sodium salt	1344-09-8	DNEL	5,61 mg/ m³	human, inhalat- ory	worker (industry)	chronic - system- ic effects
silicic acid, sodium salt	1344-09-8	DNEL	1,59 mg/ kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
aluminium di- hydrogen phos- phate	13530-50-2	DNEL	12,99 mg/ m³	human, inhalat- ory	worker (industry)	chronic - system- ic effects

## Relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Environmental com- partment
silicic acid, sodium salt	1344-09-8	PNEC	7,5 <sup>mg</sup> / <sub>l</sub>	freshwater
silicic acid, sodium salt	1344-09-8	PNEC	1 <sup>mg</sup> / <sub>l</sub>	marine water
silicic acid, sodium salt	1344-09-8	PNEC	7,5 <sup>mg</sup> / <sub>l</sub>	water
silicic acid, sodium salt	1344-09-8	PNEC	348 <sup>mg</sup> / <sub>l</sub>	sewage treatment plant (STP)
aluminium dihydrogen phos- phate	13530-50-2	PNEC	0,03 <sup>mg</sup> / <sub>l</sub>	freshwater
aluminium dihydrogen phos- phate	13530-50-2	PNEC	0,003 <sup>mg</sup> / <sub>l</sub>	marine water

## 8.2 Exposure controls

## **Appropriate engineering controls**

General ventilation.

Individual protection measures (personal protective equipment)

## **Eye/face protection**

Use safety goggle with side protection.

## **Hand protection**

#### **Protective gloves**

Material	Material thickness	Breakthrough times of the glove material	
NBR: acrylonitrile-butadiene rubber	no information available	no information available	
NR: natural rubber, latex	no information available	no information available	
CR: chloroprene (chlorobutadiene) rubber	no information available	no information available	

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

Particle filter device (DIN EN 143).

#### **Environmental exposure controls**

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

**Physical state** solid

**Colour** grey

**Odour** odourless

Melting point/freezing point >1.350 °C

Boiling point or initial boiling point and boiling not determined

range

**Flammability** non-combustible

Lower and upper explosion limit not determined

**Flash point** not applicable

Auto-ignition temperature not applicable

(solid)

**Decomposition temperature** not relevant

**pH (value)** not applicable

**Viscosity** not relevant

(solid)

Solubility(ies)

Water solubility not miscible in any proportion

Partition coefficient n-octanol/water (log value) not relevant

(inorganic)

Vapour pressure not determined

Density and/or relative density

Density not determined

Relative vapour density information on this property is not available

**Particle characteristics** no data available

9.2 Other information

Information with regard to physical hazard

classes

hazard classes acc. to GHS (physical hazards):

not relevant

Other safety characteristics there is no additional information

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

## 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

## 10.5 Incompatible materials

acids

## 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Classification procedure**

If not otherwise specified the classification is based on:

Ingredients of the mixture (additivity formula).

## Classification according to GHS (1272/2008/EC, CLP)

#### **Acute toxicity**

Test data are not available for the complete mixture.

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
silicic acid, sodium salt	1344-09-8	oral	LD50	3.400 <sup>mg</sup> / <sub>kg</sub>	rat
silicic acid, sodium salt	1344-09-8	inhalation: vapour	LC50	>2,06 <sup>mg</sup> / <sub>l</sub> /4h	rat
silicic acid, sodium salt	1344-09-8	dermal	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	rat
aluminium dihydrogen phosphate	13530-50-2	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
aluminium dihydrogen phosphate	13530-50-2	inhalation: dust/mist	LC50	>5,1 <sup>mg</sup> / <sub>l</sub> /4h	rat

## Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

# Respiratory or skin sensitisation

#### Skin sensitisation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### **Respiratory sensitisation**

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## Germ cell mutagenicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### Carcinogenicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Germany: en Page: 10 / 19

## **Reproductive toxicity**

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### Specific target organ toxicity - single exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## Specific target organ toxicity - repeated exposure

Hazard category	Target organ	Exposure route
2	lung	if inhaled

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### 11.2 Information on other hazards

There is no additional information.

#### **Endocrine disrupting properties**

None of the ingredients are listed.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

## Aquatic toxicity (acute)

Test data are not available for the complete mixture.

## Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
silicic acid, sodium salt	1344-09-8	LC50	310 <sup>mg</sup> / <sub>l</sub>	rainbow trout (Onco- rhynchus mykiss)	96 h
silicic acid, sodium salt	1344-09-8	EC50	1.700 <sup>mg</sup> / <sub>l</sub>	daphnia magna	48 h
silicic acid, sodium salt	1344-09-8	ErC50	>345,4 <sup>mg</sup> / <sub>l</sub>	algae (Desmod- esmus subspicatus)	72 h
aluminium dihydro- gen phosphate	13530-50-2	ErC50	>100 <sup>mg</sup> / <sub>l</sub>	algae (Desmod- esmus subspicatus)	72 h

#### **Aquatic toxicity (chronic)**

Test data are not available for the complete mixture.

Germany: en Page: 11 / 19

## Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
aluminium dihydro- gen phosphate	13530-50-2	EC50	>1.000 <sup>mg</sup> / <sub>I</sub>	microorganisms	3 h
aluminium dihydro- gen phosphate	13530-50-2	NOEC	>100 <sup>mg</sup> / <sub>l</sub>	algae (Desmod- esmus subspicatus)	72 h
aluminium dihydro- gen phosphate	13530-50-2	LOEC	11,9 <sup>mg</sup> / <sub>l</sub>	fathead minnow (Pimephales pro- melas)	28 d

## 12.2 Persistence and degradability

#### **Biodegradation**

The study does not need to be conducted, the relevant substances in the mixture are inorganic.

#### **Persistence**

The study does not need to be conducted, the relevant substances in the mixture are inorganic.

## 12.3 Bioaccumulative potential

Test data are not available for the complete mixture.

## Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW
aluminium dihydrogen phosphate	13530-50-2	215	-

## 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## 12.6 Endocrine disrupting properties

None of the ingredients are listed.

## 12.7 Other adverse effects

Data are not available.

#### **Remarks**

Wassergefährdungsklasse, WGK (water hazard class): 1

Germany: en Page: 12 / 19

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste.

#### Sewage disposal-relevant information

Do not empty into drains.

## Waste treatment of containers/packagings

Completely emptied packages can be recycled.

Handle contaminated packages in the same way as the substance itself.

#### **Remarks**

Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

14.1	UN number or ID number	not assigned
14.2	UN proper shipping name	-
14.3	Transport hazard class(es)	-
14.4	Packing group	-
14.5	Environmental hazards	-
14.6	Special precautions for user	-
14.7	Maritime transport in bulk according to IMO instruments	-

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## Relevant provisions of the European Union (EU)

## Restrictions according to REACH, Annex XVII

Name	Name acc. to inventory	CAS No	Restriction
silicic acid, sodium salt	substances in tattoo inks and perman- ent make-up	-	R75

#### Legend

R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than

Germany: en Page: 13 / 19

#### Legend

- 0,001 % by weight;
- (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
- (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
- (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
- (ii) 0,01 % by weight, in all other cases;
- (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
- (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
- (i) "Rinse-off products";
- (ii) "Not to be used in products applied on mucous membranes";
- (iii) "Not to be used in eye products";
- (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
- (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
- 2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
- 3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
- 4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
- (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
- (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
- 5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
- 6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.
- 7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
- (a) the statement "Mixture for use in tattoos or permanent make-up";
- (b) a reference number to uniquely identify the batch;
- (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation

Germany: en Page: 14 / 19

#### Legend

(EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;

(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;

(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

- 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.
- 9. This entry does not apply to substances that are gases at temperature of 20  $^{\circ}$ C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50  $^{\circ}$ C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).
- 10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

#### **Seveso Directive**

Not assigned.

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed.

#### Regulation on the marketing and use of explosives precursors

None of the ingredients are listed.

#### Regulation on substances that deplete the ozone layer (ODS)

None of the ingredients are listed.

## Regulation concerning the export and import of hazardous chemicals (PIC)

None of the ingredients are listed.

#### Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

Germany: en Page: 15 / 19

## **National regulations (Germany)**

# Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK

(water hazard class) - classification acc. to annex 1 (AwSV)

#### **Technical instructions on air quality control (Germany)**

Number	Group of substances	Class	Conc.	Mass flow	Mass con- centration	Nota- tion
5.2.1	total dust, including micro-dust	-	≥ 25 wt%	0,2 <sup>kg</sup> / <sub>h</sub>	20 <sup>mg</sup> / <sub>m³</sub>	2)

#### **Notation**

2) even with a mass flow smaller than or equal to 0.20 kg/h, a mass concentration of 0.15 g/m³ in waste gas may not be exceeded

## Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

Storage class (LGK)

(non-combustible solids)

#### Other information

Observe employment restrictions for young people according to § 22 JArbSchG. Observe occupational restrictions for mothers acc. to § 11 MuSchG!

13

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier. Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
2017/2398/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the pro- tection of workers from the risks related to exposure to carcinogens or mutagens at work
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement con- cerning the International Carriage of Dangerous Goods by Road)
AGW	Workplace exposure limit
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)

Germany: en Page: 16 / 19

Abbr.	Descriptions of used abbreviations
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DFG	Deutsche Forschungsgemeinschaft MAK-und BAT-Werte-Liste, Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Wiley-VCH, Weinheim
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United  Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality dur- ing a specified time interval
LGK	Lagerklasse (storage class according to TRGS 510, Germany)
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million

Germany: en Page: 17 / 19

Abbr.	Descriptions of used abbreviations
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TRGS	Technische Regeln für GefahrStoffe (technical rules for hazardous substances, Germany)
TRGS 900	Arbeitsplatzgrenzwerte (TRGS 900)
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH).

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

## **Classification procedure**

Physical and chemical properties.

Health hazards.

Environmental hazards.

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H372	Causes damage to organs (lung) through prolonged or repeated exposure (if inhaled).
H373	May cause damage to organs (lung) through prolonged or repeated exposure (if inhaled).

Germany: en Page: 18 / 19

## Responsible for the safety data sheet

C.S.B. GmbH Telephone: +49 (0) 2151 - 652086 - 0

Düsseldorfer Str. 113 Telefax: +49 (0) 2151 - 652086 - 9

47809 Krefeld, Germany e-Mail: info@csb-compliance.com

Website: www.csb-compliance.com

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Germany: en Page: 19 / 19